## FORT LEE SCHOOL DISTRICT FORT LEE, NEW JERSEY

## REQUIREMENTS FOR ALLERGIC STUDENTS USING EPINEPHRINE AUTO-INJECTORS FORM 02-D-37

Required forms for  $5^{th} - 12^{th}$  grade students with allergies.

De	r Parent or Guardian ofGrade/Teacher			
The below items are necessary in order to complete your child's medical file is school year Allergy forms must be renewed annually fo school year. *				
1.	The completion of the Epinephrine Administration & Self Administration of Medication (02-D-34-D) form for the administration of the Epinephrine Auto-Injector. This is a mandatory requirement on the high school level and for students who participate in after-school activities and school-sponsored sports activities.			
2.	The completion of the Antihistamine Administration of Medication Form (02-D-34-C) is optional and is in addition to the administration of the Epinephrine Auto-Injector during school hours only. This medication can only be administered by a school nurse during school hours.			
3.	The completion of the Food Allergy & Anaphylaxis Emergency Care Plan (2 pages).			
4.	The completion and notarization of the <u>Indemnification (02-D-44)</u> form for the above-mentioned school year. (For the administration of Epinephrine Auto-injectors only)			
5.	A copy of the results of the most recent RAST and or Skin Test done on your child.			
6.	Properly labeled by the pharmacy medication must be given to the school nurse.			
*All items must be completed in order for the school nurse to give any medication to your child.				
as	Please write down the expiration dates for all medication given, and replace needed, after the medication expires. All medication must be picked up at the end of the pool year.			
Tha	Thank you for your continued cooperation.			

## FORT LEE SCHOOL DISTRICT FORT LEE, NEW JERSEY

SCHOOL YEAR 20\_\_\_\_--20\_

# EPINEPHRINE ADMINISTRATION & SELF ADMINISTRATION OF MEDICATION FORM FORM 02-D-34-D

To be completed by the examining physician and parent and returned to the School Nurse/Teacher.

Permission is effective only for the school year for which it is granted and must be renewed annually.

Medication must be in an ORIGINAL container, appropriately labeled by the pharmacy or physician.

nysician.			
tudent's Name		DOB	Grade
(Last) . TO BE COMPLETED BY T	(First) THE PHYSICIAN:		
IAGNOSIS			
AME OF THE MEDICATION:	EPINEPHRINI	E AUTO INJECTOR	
RAND NAME	MANUFACTU	RER EXPI	RATION DATE
LEASE CHECK:			
REQUENCY:	□ 0.1 mg IM	□ 0.15mg IM	□ 0.3mg IM
OLLOW – UP			
STRUCTIONS:			
the above-named student is per lministering the medication as aderstands the purpose, appropria	needed. I certify the	hat the student has be-	en instructed by me and
hysician Signature	Date		
		PH	YSICIAN STAMP
ysician Printed Name	_	(TO INCLUDE AL	DDRESS & PHONE NUMBER)
B. TO BE COMPLETED I	BY THE PARENT/G	GUARDIAN:	
<ul> <li>I understand that the district and its employees or agents shall incur no liability as a result of injury arising from the administration of medication. I indemnify and hold harmless the district and its employees or agents against any claims arising out of the administration of medication.</li> <li>I hereby request that my child be allowed to carry/keep and self-administer the above medication as indicated by the physician. I verify that my child knows how to correctly administer the medication.</li> <li>I understand that the district and its employees or agents shall incur no liability as a result of injury arising from the self-administration of medication by the student to himself/herself or other persons as a result of misuse. I indemnify and hold harmless the district and its employees or agents against any claims arising out of self-administration or non-administration of medication by the student.</li> </ul>			
arent/Guardian Signature		Date	_
arent/Guardian Printed Name			
C. TO BE COMPLETED	BY HEALTH SERV	ICES STAFF:	
rm reviewedSchool Nurse S		(Date)	
School Nurse S	Signature	` /	

REV. 10/20/2023

## FORT LEE SCHOOL DISTRICT FORT LEE, NEW JERSEY

## ANTIHISTAMINE ADMINISTRATION OF MEDICATION FORM (FOR LIFE THREATENING ALLERGIC REACTION IN ADDITION TO THE FARE EMERGENCY CARE PLAN) FORM 02-D-34-C

This form is required for all over-the-counter and/or prescription medication(s) to be administered during school hours. The medication(s) will be supplied by the parents and brought to the school nurse in the <u>original</u> container appropriately labeled by the pharmacy and physician. All medication must be picked up at the end of the school year.

Student's Name:		Date of Birth:
		Current Weight:
Diagnosis/Medical Condition:		
		Dose to be administered:
Route: Time to be admir	nistered:	am/pm (please circle)
PHYSICIAN SIGNATURE	DATE	
PHYSICIAN PRINTED NAME		PHYSICIAN STAMP (TO INCLUDE ADDRESS & PHONE NUMBE
<ul> <li>medication.</li> <li>I also, give the school nurse/sch regarding the ordered medicatio</li> </ul>	school physician pe nool physician perm on, as needed.	ermission to administer the above stated  Initial:
Parent/ Guardian Signature	Emergency contact number	er Date
Received by school and reviewed by	Name	School Nurse-teacher School Doctor

REV. 02/09/2022

Date



## **FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN**

Name: D.O.B.:	PLACE PICTURE HERE
Weight: lbs. Asthma:	
Special Situation/Circumstance - If this box is checked, the child has an extremely severe following food(s)	

## For ANY of the following **SEVERE SYMPTOMS**



Shortness of breath, wheezing, repetitive cough



Many hives over body, widespread redness



Pale or bluish skin, faintness, weak pulse, dizziness



GUT

Repetitive vomiting, severe diarrhea



### THROAT

Tight or hoarse throat, trouble breathing or swallowing



Feeling anxiety, confusion



Significant swelling of the tongue or lips



something bad is about to happen,

## **OR A COMBINATION**

of symptoms from different body areas







- INJECT EPINEPHRINE IMMEDIATELY.
- Call 911. Tell emergency dispatcher the person is having anaphylaxis and may need epinephrine when emergency responders arrive.
- Consider giving additional medications following epinephrine:
  - Antihistamine
  - Inhaler (bronchodilator) if wheezing
- Lay the person flat, raise legs and keep warm. If breathing is difficult or they are vomiting, let them sit up or lie on their side.
- If symptoms do not improve, or symptoms return, more doses of epinephrine can be given about 5 minutes or more after the last dose.
- Alert emergency contacts.
- Transport patient to ER, even if symptoms resolve. Patient should remain in ER for at least 4 hours because symptoms may return

## **MILD SYMPTOMS**









NOSE

Itchy or runny nose, sneezing

Itchy

mouth

SKIN

A few hives, mild itch

Mild

nausea or discomfort

FOR MILD SYMPTOMS FROM MORETHAN ONE BODY SYSTEM, GIVE EPINEPHRINE.

FOR MILD SYMPTOMS FROM A SINGLE BODY SYSTEM (E.G. SKIN, GI, ETC.), FOLLOW THE DIRECTIONS BELOW:

- Antihistamines may be given, if ordered by a healthcare provider.
- Stay with the person; alert emergency contacts.
- 3. Watch closely for changes. If symptoms worsen, give epinephrine.

MEDICAT	TIONS,	/DOSES
---------	--------	--------

Epinephrine Brand or Generic:
Epinephrine Dose: $\square$ 0.1 mg IM $\square$ 0.15 mg IM $\square$ 0.3 mg IN
Antihistamine Brand or Generic:
Antihistamine Dose:
Other (e.g., inhaler-bronchodilator if wheezing):



## FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN


#### HOW TO USE AUVI-Q® (EPINEPHRINE INJECTION, USP), KALEO

- 1. Remove Auvi-Q® from the outer case. Pull off red safety guard.
- 2. Place black end of Auvi-Q<sup>e</sup> against the middle of the outer thigh.
- 3. Press firmly until you hear a click and hiss sound, and hold in place for 2 seconds.
- 4. Call 911 and get emergency medical help right away.

# 3


#### HOW TO USE EPIPEN®. EPIPEN JR® (EPINEPHRINE) AUTO-INJECTOR AND EPINEPHRINE INJECTION

- (AUTHORIZED GENERIC OF EPIPEN®), USP AUTO-INJECTOR, MYLAN AUTO-INJECTOR, MYLAN
- 2. Remove the EpiPen® or EpiPen Jr® Auto-Injector from the clear carrier tube.
- 3. Grasp the auto-injector in your fist with the orange tip (needle end) pointing downward. With your other hand, remove the blue safety release by pulling straight up.
- 4. Swing and push the auto-injector firmly into the middle of the outer thigh until it 'clicks'. Hold firmly in place for 3 seconds (count slowly 1, 2, 3).
- 5. Remove and massage the injection area for 10 seconds. Call 911 and get emergency medical help right away.



## HOW TO USE IMPAX EPINEPHRINE INJECTION (AUTHORIZED GENERIC OF ADRENACLICK®), USP AUTO-INJECTOR, AMNEAL PHARMACEUTICALS

- 1. Remove epinephrine auto-injector from its protective carrying case.
- Pull off both blue end caps: you will now see a red tip. Grasp the auto-injector in your fist with the red tip pointing downward.
- Put the red tip against the middle of the outer thigh at a 90-degree angle, perpendicular to the thigh. Press down hard and hold firmly against the thigh for approximately 10 seconds.
- 4. Remove and massage the area for 10 seconds. Call 911 and get emergency medical help right away.



#### HOW TO USE TEVA'S GENERIC EPIPEN® (EPINEPHRINE INJECTION, USP) AUTO-INJECTOR, TEVA PHARMACEUTICAL INDUSTRIES

- L. Quickly twist the yellow or green cap off of the auto-injector in the direction of the "twist arrow" to remove it.
- Grasp the auto-injector in your fist with the orange tip (needle end) pointing downward. With your other hand, pull off the blue safety release.
- 3. Place the orange tip against the middle of the outer thigh at a right angle to the thigh.
- 4. Swing and push the auto-injector firmly into the middle of the outer thigh until it 'clicks'. Hold firmly in place for 3 seconds (count slowly 1, 2, 3).
- 5. Remove and massage the injection area for 10 seconds. Call 911 and get emergency medical help right away.

# 4

#### HOW TO USE SYMJEPI™ (EPINEPHRINE INJECTION, USP)

- 1. When ready to inject, pull off cap to expose needle. Do not put finger on top of the device.
- Hold SYMJEPI<sup>™</sup> by finger grips only and slowly insert the needle into the thigh. SYMJEPI<sup>™</sup> can be injected through clothing if necessary.
- 3. After needle is in thigh, push the plunger all the way down until it clicks and hold for 2 seconds.
- Remove the syringe and massage the injection area for 10 seconds. Call 911 and get emergency medical help right away.
- Once the injection has been administered, using one hand with fingers behind the needle slide safety guard over needle.



#### ADMINISTRATION AND SAFETY INFORMATION FOR ALL AUTO-INJECTORS:

- 1. Do not put your thumb, fingers or hand over the tip of the auto-injector or inject into any body part other than mid-outer thigh. In case of accidental injection, go immediately to the nearest emergency room.
- 2. If administering to a young child, hold their leg firmly in place before and during injection to prevent injuries.
- 3. Epinephrine can be injected through clothing if needed.
- 4. Call 911 immediately after injection.

OTHER DIRECTIONS/INFORMATION (may self-carry epinephrine, may self-administer epinephrine, etc.):

Epinephrine first, then call 911. Monitor the patient and call their emergency contacts right away.

EMERGENCY CONTACTS — CAI	L 911	OTHER EMERGENCY CONTACTS		
RESCUE SQUAD:		NAME/RELATIONSHIP:	PHONE:	
DOCTOR:	PHONE:	NAME/RELATIONSHIP:	PHONE:	
PARENT/GUARDIAN:	PHONE:	NAME/RELATIONSHIP:	PHONE:	

## FORT LEE SCHOOL DISTRICT FORT LEE, NEW JERSEY

## EMERGENCY ADMINISTRATION OF EPINEPHRINE

## STATEMENT OF INDEMNIFICATION NOTARIZATION REQUIRED

02-D-44

1.	student currently enrolled in the Fort Lee Public Schools.	, a
2.	I have provided to the Board of Education, through its administration, written certification is physician or advanced practice nurse attesting that requires the administration of epinephrine for anaphylaxis and does not have the capability for self-administration of the medication	to the fact or
3.	On I provided to the Board of Education, administration, two (2) current pre-filled, single dose auto-injector mechanisms epinephrine for the use of my child, The epinephrine I proto expire on I understand that epinephrine can only through a prescription and that I am fully responsible for keeping track of the expira said epinephrine and replacing the same with pre-filled, single dose auto-injector containing epinephrine when they have expired.	, containing ovided is du- be obtained ition dates o
4.	When required, and in accordance with the procedures specified by N.J.S.A. 18A. N.J.S.A. 18A:40-12.6, I hereby consent, via this writing, to the administration of the single dose auto-injector mechanism containing epinephrine, which I provided to the Education, to my child,	is pre-filled
5.	The Board of Education, through its administration, has informed me in writing procedures specified in N.J.S.A. 18A:40-12.5 and N.J.S.A. 18A:40-12.6 are followed and/or it's employees or agents shall incur no liability as a result of any injury arisi administration of a pre-filled, single dose auto-injector mechanism containing epinepohild,	i, the Board ng out of its
6.	This statement acknowledges that where the procedures specified in N.J.S.A. 18A: N.J.S.A. 18A: 40-12.6 are followed, the district shall have no liability and further at that I hereby indemnify and hold harmless the district and employees or agents against arising out of the administration of a pre-filled, single dose auto-injector mechanism epinephrine to my child,	cknowledges st any claims
7.	I understand that the permission being granted for the administration of a pre-filled auto-injector mechanism containing epinephrine to my child is effective only for the for which such permission is granted and must be renewed for each subsequent school	school year
	Parent or Guardian's Signature Date	
	Sworn and Subscribed Before Me	
,	This Day of	
2.9	•	